

AMENDMENTS TO THE CLAIMS

Listing of Claims

The following listing of claims replaces all previous listings or versions thereof:

1. (Currently amended) A decoy oligonucleotide comprising the nucleic acid sequence according to SEQ ID NO: ~~1 to 34~~17 and SEQ ID NO:18.
2. (Previously presented) The decoy oligonucleotide according to claim 1, wherein said oligonucleotide is formulated as a pharmaceutical agent.
3. (Currently amended) A method for the ~~prevention or therapy~~inhibition of atherosclerosis, coronary heart disease, cardiac infarction, heart failure, cerebral circulatory disorders, stroke and multi-infarction dementia, peripheral arterial occlusion disease, chronic inflammatory and autoimmune diseases, rheumatoid arthritis (chronic polyarthritis), psoriasis including psoriasis arthritis, chronic inflammatory diseases, Crohn's disease, ulcerative colitis, diabetes type I and II, diabetic nephropathy, retinopathy and vasculopathy, multiple sclerosis, sarcoidoses, collagenoses and vasculitis including glomerulonephritis, acute and chronic rejection of transplanted organs, graft versus host disease (GVHD), ischaemia/reperfusion damage of organs following a surgical intervention, vasculopathy of venous bypasses, (pre)eclampsia and pregnancy-induced hypertension, arterial hypertension, left cardiac hypertrophy, formation of aneurysms with the risk of mass haemorrhages and vascular wall transformation, pulmonary hypertension, chronic renal insufficiency, chronic obstructive pulmonary diseases (COPD), bacterial infections, helicobacter-pylori-gastritis, tubercular pericarditis, Lyme borreliosis with subsequent borrelia-arthritis and neuroborreliosis, and post-infection complications after infections with cytomegaly, hepatitis B and C, herpes and HI (human immunodeficiency) viruses such as portal hypertension, fibrosis or opportunistic infection such as pneumocystis-carnii-pneumonia, comprising administering to a subject in need thereof a decoy

oligonucleotide comprising the nucleic acid sequence according to SEQ ID NO: ~~1~~to 3417 and SEQ ID NO:18.

4. (Withdrawn) A method for the diagnosis of a $^{-786}\text{C/T}$ -variance in the eNOS-gene, comprising the steps of:
 - a) adding DNA oligonucleotides to a patient-DNA or cDNA sample, wherein a DNA oligonucleotide provides a sequence, which is disposed upstream of the -786 position and corresponds to the sense strand of the eNOS gene, and another DNA oligonucleotide provides a sequence, which is disposed downstream of the -786 position and corresponds to the antisense strand of the eNOS gene,
 - b) implementing a polymerase-chain-reaction (PCR),
 - c) implementing DNA splitting with a restriction enzyme, which provides a recognition sequence, which is at least 4 nucleotides long and contains the sequence $5'\text{-CCGG-}3'$ but not the sequence $5'\text{-CTGG-}3'$, and
 - d) identifying the DNA fragments obtained from the DNA splitting.
5. (Withdrawn) The method according to claim 4, further comprising, after step a), the step of:
 - a') adding fluorescence-dye-modified DNA oligonucleotides, wherein a first DNA oligonucleotide provides a sequence, which includes the -786 position of the eNOS gene and corresponds to the sense or antisense strand and is complementary to the ^{-786}C -variant of the eNOS gene promoter, and wherein a second DNA oligonucleotide provides a sequence, which corresponds to the sense or antisense strand, wherein the $3'$ -end of the second DNA oligonucleotide is disposed 1-5 nucleotides upstream of the $5'$ -end of the first DNA oligonucleotide, if the sequences of the DNA oligonucleotides correspond to the sense strand, and wherein the $5'$ -end of the second DNA oligonucleotide is disposed 1-5 nucleotides upstream of the $3'$ -end of the first DNA oligonucleotide, if the sequences of the DNA oligonucleotides correspond to the antisense strand,

and, instead of performing steps c) and d), instead performing step b' comprising demonstrating the ^{-786}C -variant or ^{-786}T -variant by means of fluorescence resonance energy transfer (FRET) supported DNA melting-curve analysis.

6. (Withdrawn) The method according to claim 4, wherein the DNA oligonucleotides in stage a) provide sequences according to SEQ ID NO: 35 and 36 or 56 and 57.
7. (Withdrawn) The method according to claim 5, wherein the fluorescence-dye-modified DNA oligonucleotides in stage a') provide sequences according to SEQ ID NO: 37 and 38 or SEQ ID NO: 58 and 59.
8. (Withdrawn) The according to claim 4, wherein the restriction enzyme is *Hpa II*.
9. (Withdrawn) A kit for the implementation of the method according to claim 4, comprising DNA oligonucleotides, wherein one DNA oligonucleotide provides a sequence, which, upstream of the -786 position, corresponds to the sense strand of the eNOS gene, and another DNA oligonucleotide provides a sequence, which, downstream of the -786 position, corresponds to the antisense strand of the eNOS gene, optionally fluorescence-dye-modified DNA oligonucleotides, wherein a first DNA oligonucleotide provides a sequence, which includes the -786 -position of the eNOS gene and corresponds to the sense or antisense strand and is complementary to the ^{-786}C -variant of the eNOS gene promoter, and a second DNA oligonucleotide provides a sequence, which corresponds to the sense or antisense strand, wherein the 3'-end of the second DNA oligonucleotide is disposed 1-5 nucleotides upstream of the 5'-end of the first DNA oligonucleotide, if the sequences of the DNA oligonucleotides correspond to the sense strand, and wherein the 5'-end of the second DNA oligonucleotide is disposed 1-5 nucleotides upstream of the 3'-end of the first DNA oligonucleotide, if the sequences of the DNA oligonucleotides correspond to the antisense strand; reagents for the implementation of a PCR and either a restriction enzyme, which provides a recognition sequence, which is at least 4 nucleotides long and contains the sequence 5'-CCGG-3' but not the sequence 5'-CTGG-3', and reagents for the implementation of a

DNA splitting, or reagents for the implementation of a fluorescence-resonance energy transfer (FRET)-supported DNA melting curve analysis.

10. (Withdrawn) A DNA oligonucleotide comprising a nucleic acid sequence according to SEQ ID NO: 35 to 40 and 56 to 61.